

From: Fred Foreman/ESC/R3/USEPA/US
Sent: 1/3/2012 4:37:58 PM

To: Tonya.Hudson/MTG/USEPA/US@EPA
CC: **Ex. 4 - CBI**
Subject: Fw: Possible Sample Analysis Needed

Tonya,

I spoke for a minute with **Ex. 4 - CBI** who informed me **Ex. 6 - Personal Privacy**

I had started a conversation with Cindy about your lab doing some analysis for us in Region 3. I have included the messages and tables I forwarded to Cindy as reference and would like to discuss the possibility of your lab performing these analysis.

Fred

Fred Foreman, Chief
Technical Services Branch
Office of Analytical Services & Quality Assurance
US EPA Region III
Ft. Meade, Maryland
410-305-2629

----- Forwarded by Fred Foreman/ESC/R3/USEPA/US on 01/03/2012 04:31 PM -----

From: Fred Foreman/ESC/R3/USEPA/US
To: Cindy White/MTG/USEPA/US@EPA
Date: 01/03/2012 12:35 PM
Subject: Re: Possible Sample Analysis Needed

Cindy,

This is a very active, fast moving project going that has our RA's attention. The need to have total control over all analysis helps us with any potential conflict of interest. We are looking at around 70 samples (includes QC) and need a quick TAT on the results. I have attached a table from the Sampling and Analysis Plan indicating what rad parameters are needed. If we could talk today, once you review the table, that would be great. I am available for the rest of the day except 1:30-2:30.

Fred Foreman, Chief
Technical Services Branch
Office of Analytical Services & Quality Assurance
US EPA Region III
Ft. Meade, Maryland
410-305-2629

From: Cindy White/MTG/USEPA/US
To: Fred Foreman/ESC/R3/USEPA/US@EPA
Date: 12/22/2011 05:51 PM

Subject: Re: Possible Sample Analysis Needed

Hello Fred,

I will need to consult with our management but most are off until after the first of the year. However, if anyone is available next week, I will discuss this project with them and get back to you. Could you provide me any other pertinent information about the project?

Thanks,

Cindy White
Analytical Services Coordinator
USEPA/NAREL
540 S. Morris Avenue
Montgomery, AL 36115
334-270-7052 Work
334-270-3454 FAX

From: Fred Foreman/ESC/R3/USEPA/US
To: Cindy White/MTG/USEPA/US@EPA
Date: 12/22/2011 03:24 PM
Subject: Possible Sample Analysis Needed



Cindy,

We have a project coming up in Region 3 in which it is preferred we not use commercial labs to perform the analysis so I need to know what is your labs availability to run some test. The parameters of interest are:

Gross Alpha
Gross Beta
Gamma Spec
radium-228
radium-226
cesium-137

We are looking at 40-80 aqueous samples, but the number is not definite, sometime around the first or second week of January. If you could do these, what is the fastest turn-around-time we could expect? If your lab is unable to analyze these, can you recommend a lab that could? As I stated, we would prefer to have all analyses performed within the EPA network of labs but would make exceptions for the radiological analysis due to limited availability of labs capable of running such analysis.

Thanks in advance for your cooperation and consideration.

Fred

Fred Foreman, Chief
Technical Services Branch
Office of Analytical Services & Quality Assurance
US EPA Region III
Ft. Meade, Maryland
410-305-2629